CPM Europe. Meeting the highest grinding quality requirements

Roller Mill Series



GLOBAL PARTNER SINCE 1883



CPM Europe. Your Partner in Productivity

Assisting You in Selecting the Best Roller Mill



650 Series



900/999 Series



Roll Feeder with Magnet - For a very regular spread of grains over the rollers

- Equipped with a strong magnet to protect the rollers

Rollers for Crushing Grains

- Single pair, double pair and triple pair grinding stages available
- Optimal riffle specification to meet the grinding requirements
- Deep surface hardened allowing 6 re-riffling works
- Easy roller exchange by leaving the bearings in place

Roller Drive System

- Each roller pair can be equipped with a single motor
- The roller can be directly driven or alternatively by V-belts to suit space availability

Roller Distance Adjustment System

- Pneumatically driven high precision jacks
- With precise electronic feed back for accurate grinding
- Manual adjustment available

CPM Roller Mill Concept


- 1. Grains
- 2. Roll Feeder with Magnet
- 3. Rollers
- 4. Roller Drive
- 5. Roller Adjustment
- 6. Ground Mash



1200 Series

Please consult with a CPM specialist to study your grinding quality and grinding capacity requirements







1600 Series

CPM Europe. Your Partner in Productivity

The various available CPM Roller Mill series

Roller mill series	Roller mill type	Roll diameter ø (mm)	Roll width (mm)	Max. motor power per roller pair (kW)
650 single or double roller pair	650-9	165	230	5,5
	650-14	165	355	7,5
	650-24	165	610	11,0
900 single, double or tripple roller pair	900-12	228	305	5,5
	900-18	228	455	7,5
	999-24	228	610	11,0
	999-30	228	760	15,0
	999-36	228	915	18,5
1200 single, double or tripple roller pair	1200-24	305	610	22,0
	1200-30	305	760	30,0
	1200-36	305	915	35,0
	1200-42	305	1.065	45,0
	1200-52	305	1.320	55,0
1600 single, double or tripple roller pair	1600-30	406	760	37,0
	1600-42	406	1.065	55,0
	1600-52	406	1.320	75,0

Contact us to receive your genuine CPM parts at the best price and delivery conditions



CPM EUROPE BV

Rijder 2 1507 DN Zaandam The Netherlands

+31 (0) 75 65 12 611

Info@cpmeurope.nl www.cpmeurope.nl

CPM Europe. Your Partner in Productivity